



# *Trento*

Exquisitely Designed

*High Speed*







-  - Grey
-  - Olive green
-  - Blue



# Trento

|                        |                                                                                                                                                                                  |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speed                  | 45Kmph                                                                                                                                                                           |
| Estimated Range        | >75 Km*                                                                                                                                                                          |
| Seating Capacity       | 2 Passengers                                                                                                                                                                     |
| Climbing Degree        | 15 Degree                                                                                                                                                                        |
| Battery Specifications | 72V/40AH                                                                                                                                                                         |
| Charger Specifications | 72V/5A Micro Charger with Auto Cut                                                                                                                                               |
| Charging Time          | 5-6 Hours                                                                                                                                                                        |
| Motor (Rated Power)    | 3000 Watt, BLDC Motor (Waterproof)                                                                                                                                               |
| Speedometer            | Digital                                                                                                                                                                          |
| Suspension             | Front - Hydraulic (Telescopic Type)<br>Rear Hydraulic Spring (Monoshock)                                                                                                         |
| Brake                  | Dual Disc                                                                                                                                                                        |
| Tyre                   | 12 Inches Tubeless                                                                                                                                                               |
| Features               | Central Locking with Anti Theft Alarm, Find my Scooter Function, Mobile Charging USB Port, Hazard Light, Side Stand Sensor, Reverse Motion Switch, 3 Speed Modes, Cruise Control |
| Headlight              | LED                                                                                                                                                                              |
| Tail Light             | Unique Design with LED Rear and Front Winkers                                                                                                                                    |
| Wheel                  | Dynamically Designed Wheels                                                                                                                                                      |
| Ground Clearance       | 180mm                                                                                                                                                                            |
| Dimension              | 1920X1700X1170 mm                                                                                                                                                                |
| Registration & License | Required                                                                                                                                                                         |
| Chassis                | M.S Heavy Duty Chassis (Tubular)                                                                                                                                                 |
| Kerb Weight            | 85 Kg (without Battery)                                                                                                                                                          |
| Starting Mechanism     | Self Start                                                                                                                                                                       |

\*At Standard Driving Conditions

**Manufacturing Facility :**  
Delta Autocorp Limited :  
60,61,62 and 63 GangeshwarPaper Mills, Dhundaheda,  
Saharanpur Road, Baghpat, UP - 250101

**Manufacturing Facility :**  
Delta Autocorp Limited:  
Plot No.-304P, Mihijam Road, Rupnarayanpur, Pithakiary,  
Hindustan Cables Town, PaschimBardhaman,  
West Bengal.-713 386

**Head Office :**  
Delta Autocorp Limited  
501-502, 5th Floor, NDM -1, Netaji Subhash  
Place, Delhi - 110034





**DELTA**

DELTA AUTOCORP LIMITED

# ***DELTA EZ***



***Best in class design***





\*At standard driving conditions

## DELTA EZ

|                                |                                                                                |
|--------------------------------|--------------------------------------------------------------------------------|
| Speed                          | 25 kmph (Max Speed By Indian Govt)                                             |
| Estimated Range                | 70-100 Kms*                                                                    |
| Seating capacity               | 2 Passengers                                                                   |
| Climbing Degree                | 7 Degree                                                                       |
| Battery Spec                   | 60V/(28Ah/VRLA)<br>(30Ah Li-ion)                                               |
| Charger Spec                   | 60V/4A & 60V/6A<br>Charger With Auto Cut                                       |
| Charging Time                  | 6-8 hours; 3-4 hours                                                           |
| Range Output                   | 250 Watt, BLDC<br>motor (Waterproof)                                           |
| Speedometer                    | Digital                                                                        |
| Suspension<br>(Shock Absorber) | Front: Hydraulic<br>(Telescopic Type)<br>Rear: Hydraulic<br>Spring (Monoshock) |
| Battery Weight                 | 35 Kg, 28 Kg                                                                   |

## Colour Options



|                                        |                                                                                                                                                         |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tyre                                   | 3.00-10.00 Tubeless                                                                                                                                     |
| Features (Key/Reverse Switch/USB Port) | Central Locking with Anti Theft Alarm, Find my scooter function, Reverse Motion Switch, Mobile Charging USB Port, Auto Repair Function & Cruise Control |
| Headlight                              | LED Projector Lamp                                                                                                                                      |
| Tail Light                             | Defogger Lights                                                                                                                                         |
| Wheel                                  | Dynamically designed wheels                                                                                                                             |
| Ground Clearance                       | 180mm                                                                                                                                                   |
| Dimensions (L x B x H)                 | 1800x720x1040mm                                                                                                                                         |
| Registration & License                 | Not Required                                                                                                                                            |
| Chassis                                | M.S Heavy Duty Chassis (Tubular)                                                                                                                        |
| Kerb Weight                            | 60Kg (Without Battery)                                                                                                                                  |
| Starting Mechanism                     | Self Start                                                                                                                                              |

- [www.deltic.co](http://www.deltic.co)
- Toll Free No.  
+918530600278
- [sales@deltic.co](mailto:sales@deltic.co)

### Manufacturing Facility:


Delta Autocorp Limited:  
60, 61, 62 and 63 Gangeshwar Paper Mills,  
Dhundahera, Saharanpur Road, Baghat,  
UP - 250101

### Manufacturing Facility:

Delta Autocorp Limited:  
Plot No.-304P, Mihlam Road, Rupnarayanpur,  
Pithakiyari, Hindustan Cables Town, Paschim  
Bardhaman, West Bengal - 713386

**Head Office:** Delta Autocorp Limited  
408, 4th Floor, Krishna Apra Business Square,  
Netaji Subhash Place, Pitampura,  
New Delhi-110034





# DELTA

DELTA AUTOCORP LIMITED

# *Drixx*



***The Noise of The Revolution***



### Colour Option



\*At standard driving conditions

**Drixx**

|                                                 |                                                                                                                               |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Speed                                           | 25 kmph (Max Speed By Indian Govt)                                                                                            |
| Estimated Range                                 | >60 Km                                                                                                                        |
| Seating Capacity                                | 2 Passengers                                                                                                                  |
| Climbing Degree                                 | 7 Degree                                                                                                                      |
| Battery Spec                                    | 48V/(28AH/VRLA)<br>(26AH Li-ion)                                                                                              |
| Charger Spec                                    | 48V/3A Micro Charger<br>With Auto Cut                                                                                         |
| Charging Time                                   | 6 - 8 hours ; 3-4 hours                                                                                                       |
| Range Output                                    | 250 Watt, BLDC motor<br>(Waterproof) Digital                                                                                  |
| Speedometer                                     | Front-Hydraulic<br>(Telescopic Type)<br>Rear-Hydraulic Spring                                                                 |
| Suspension<br>(Shock Absorber)                  | (Monoshock)                                                                                                                   |
| Tyre                                            | 3.00-10.00 Tubeless (CEAT)                                                                                                    |
| Features (Key/<br>Reverse Switch/<br>USB Port): | Central Locking With<br>Anti Theft Alarm,<br>Find my scooter function,<br>Reverse Motion Switch,<br>Mobile Charging USB Port. |

|                        |                                     |
|------------------------|-------------------------------------|
| Headlight              | LED Projector Lamp                  |
| Tail Light             | Defogger Lights                     |
| Wheel                  | Dynamically Designed<br>Wheels      |
| Ground Clearance       | 180mm                               |
| Dimensions (Lx B x H)  | 1800x720x1040mm                     |
| Registration & License | Not Required                        |
| Chassis                | M.S Heavy Duty Chassis<br>(Tubular) |
| Kerb Weight            | 57Kg (Without Battery)              |
| Starting Mechanism     | Self Start                          |

● [www.deltic.co](http://www.deltic.co)

● **Toll Free No.**  
+918530600278

● [sales@deltic.co](mailto:sales@deltic.co)

**Manufacturing Facility :**  
Delta Autocorp Limited :  
60,61,62 and 63 GangeshwarPaper Mills,  
Dhundaheda, Saharanpur Road, Baghpat,  
UP - 250101

**Head Office :** Delta Autocorp Limited  
408, 4th Floor, Krishna Apra Business Square,  
Netaji Subhash Place, Pitampura,  
New Delhi- 110034

**Manufacturing Facility :**  
Delta Autocorp Limited:  
Plot No.- 304P, Mihijam Road,  
Rupnarayanpur, Pithakiary,  
Hindustan Cables Town,  
PaschimBardhaman,  
West Bengal.-713 386





# DELTA

DELTA AUTOCORP LIMITED

## ZL9

*High Speed*



*Unleash the Beast Within*



# ZL9

\*At standard driving condition

|                          |                                        |
|--------------------------|----------------------------------------|
| Motor                    | 72V 1000W (10-inch)                    |
| Controller               | 72V, 12-tube                           |
| Range/Charge             | 50-60 km                               |
| Overall Dimensions       | 1812 mm (L) x 705 mm (W) x 1122 mm (H) |
| Maximum Speed            | 45 km/h                                |
| Front Fork               | Hydraulic                              |
| Brake System             | Front disc / Rear drum                 |
| Front/Rear Wheel         | Front 3.00-10 / Rear 3.00-10           |
| Charging Time            | 4-6 hours                              |
| Loading Capacity         | 200 kg                                 |
| Container Capacity (CKD) | 150 pcs per 40'HQ                      |

## Colour Option



● [www.deltic.co](http://www.deltic.co)

● **Toll Free No.**  
+918530600278

● [sales@deltic.co](mailto:sales@deltic.co)

**Manufacturing Facility :**  
Delta Autocorp Limited :  
60,61,62 and 63 GangeshwarPaper Mills,  
Dhundaheda, Saharanpur Road, Baghpat,  
UP - 250101

**Manufacturing Facility :**  
Delta Autocorp Limited:  
Plot No.-304P, Mihijam Road,  
Rupnarayanpur, Pithakiary,  
Hindustan Cables Town,  
PaschimBardhaman,  
West Bengal.-713 386

**Head Office :** Delta Autocorp Limited  
501-502, 5th Floor, NDM -I, Netaji Subhash  
Place, Delhi - 110034





# DELTA

DELTA AUTOCORP LIMITED

# M+++



***Power that moves you.***





## Colour Options



|                    |                                    |
|--------------------|------------------------------------|
| Speed              | 25 kmph (Max Speed By Indian Govt) |
| Mileage            | 70 - 100 Km                        |
| Seating capacity   | 2 Pssengers                        |
| Climbing Degree    | 10 Degree                          |
| Battery Spec       | 72V/20AH                           |
| Charger Spec       | 72V/5A Micro Charger With Auto Cut |
| Charging Time      | 4-6 hours                          |
| Range Output       | 2000 Watt, BLDC motor (Waterproof) |
| Speedometer        | Digital                            |
| Suspension         | Front- Hydraulic (Telescopic Type) |
| Rear               | Hydraulic Spring (Monoshock)       |
| Overall Dimensions | 1812mm(L) *705mm(W) *1122mm(H)     |

|                        |                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------|
| Break Type             | Front Disc, Rear Drum                                                                     |
| Tyre                   | Front 90/90-12, Rear5 3.00-10.00 Tubeless                                                 |
| Wheel                  | Dynamically Designed Wheels                                                               |
| Ground Clearance       | 190mm                                                                                     |
| Headlight              | LED                                                                                       |
| Tail Light             | Unique Design With LED Rear Winkers                                                       |
| Chassis                | M.S Heavy Duty Chassis (Tubular)                                                          |
| Registration & License | Not Required                                                                              |
| Features               | Central Locking With Anti Theft Alarm, Find my scooter function, Mobile Charging USB Port |
| Kerb Weight            | 64 Kg (Without Battery)                                                                   |

- [www.deltic.co](http://www.deltic.co)
- Toll Free No. +918530600278
- [sales@deltic.co](mailto:sales@deltic.co)

**Manufacturing Facility:**  
Delta Autocorp Limited:  
60, 61, 62 and 63 Gangeshwar Paper Mills,  
Dhundahera, Saharanpur Road, Baghpat,  
UP - 250101

**Head Office:** Delta Autocorp Limited  
408, 4th Floor, Krishna Apra Business Square,  
Netaji Subhash Place, Pitampura,  
New Delhi- 110034

**Manufacturing Facility:**  
Delta Autocorp Limited:  
Plot No.-304P, Mihijam Road, Rupnarayanpur,  
Pithakiyary,Hindustan Cables Town,Paschim  
Bardhaman, West Bengal - 713386





**DELTA**  
DELTA AUTOCORP LIMITED

***Legion***



***Best In Class Design***



## Colour Option



## LEGION

\*At standard driving conditions

|                                |                                                                              |
|--------------------------------|------------------------------------------------------------------------------|
| Speed                          | 25 kmph (Max Speed By Indian Govt)                                           |
| Estimated Range                | 70-100 Kms*                                                                  |
| Seating Capacity               | 2 Passengers                                                                 |
| Climbing Degree                | 7 Degree                                                                     |
| Battery Spec                   | 60V/(28Ah/VRLA)<br>(30Ah Li-ion)                                             |
| Charger Spec                   | 60V/4A & 60V/6A Charger<br>With Auto Cut                                     |
| Charging Time                  | 6 - 8 hours ; 3-4 hours                                                      |
| Range Output                   | 250 Watt, BLDC motor<br>(Waterproof)                                         |
| Speedometer                    | Digital                                                                      |
| Suspension<br>(Shock Absorber) | Front-Hydraulic<br>(Telescopic Type)<br>Rear-Hydraulic Spring<br>(Monoshock) |
| Tyre                           | 3.00-10.00 Tubeless                                                          |
| Headlight                      | LED Projector Lamp                                                           |

|                                                 |                                                                                                                                                                           |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tail Light                                      | Defogger Lights                                                                                                                                                           |
| Wheel                                           | Dynamically Designed<br>Wheels                                                                                                                                            |
| Ground Clearance                                | 180mm                                                                                                                                                                     |
| Dimensions (Lx B x H)                           | 1800X720X1040mm                                                                                                                                                           |
| Registration & License                          | Not Required                                                                                                                                                              |
| Chassis                                         | M.S Heavy Duty Chassis<br>(Tubular)                                                                                                                                       |
| Kerb Weight                                     | 60Kg (Without Battery)                                                                                                                                                    |
| Starting Mechanism                              | Self Start                                                                                                                                                                |
| Features (Key/<br>Reverse Switch/<br>USB Port): | Central Locking With<br>Anti Theft Alarm,<br>Find my scooter function,<br>Reverse Motion Switch,<br>Mobile Charging USB Port,<br>Auto Repair Function &<br>Cruise control |
| Battery Weight                                  | 35Kg, 28Kg                                                                                                                                                                |

● [www.deltic.co](http://www.deltic.co) ● Toll Free No. ● [sales@deltic.co](mailto:sales@deltic.co)  
+918530600278



### Manufacturing Facility :

Delta Autocorp Limited :  
60,61,62 and 63 Gangeshwar Paper Mills,  
Dhundaheda, Saharanpur Road, Baghpat,  
UP - 250101

### Head Office :

Delta Autocorp Limited  
408, 4th Floor, Krishna Apra Business Square,  
Netaji Subhash Place, Pitampura,  
New Delhi- 110034

### Manufacturing Facility :

Delta Autocorp Limited:  
Plot No.-304P, Mihijam Road,  
Rupnarayanpur, Pithakiary,  
Hindustan Cables Town,  
Paschim Bardhaman,  
West Bengal.-713 386





*Low Speed*



***COSTA ZR300***

THE DREAM EV RISES



\*At standard driving conditions


# Costa ZR300



|                             |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| Speed                       | 25 kmph (Max Speed By Indian Govt)                                           |
| Estimated Range             | >60 Km                                                                       |
| Seating Capacity            | 2 Passengers                                                                 |
| Climbing Degree             | 7 Degree                                                                     |
| Battery Spec                | 48V ( 28AH /VRLA) 32 Graphene 30 AH Li-ion)                                  |
| Charger Spec                | 48V/3A Micro Charger With Auto Cut                                           |
| Charging Time               | 6 - 8 hours ; 3-4 hours                                                      |
| Range Output                | 250 Watt, BLDC motor (Waterproof)                                            |
| Speedometer                 | Digital                                                                      |
| Suspension (Shock Absorber) | Front hydraulic ( Telescopic Type )<br>Rear -Hydraulic Spring( Turn Shocker) |
| Tyre                        | 3.00-10.00 Tubeless                                                          |

|                                           |                                                                                                                   |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Headlight                                 | Led Lamp                                                                                                          |
| Tail Light                                | Defogger Lights                                                                                                   |
| Wheel                                     | Dynamically Designed Wheels                                                                                       |
| Ground Clearance                          | 180mm                                                                                                             |
| Dimensions (Lx B x H)                     | 1800x720x1040mm                                                                                                   |
| Registration & License                    | Not Required                                                                                                      |
| Chassis                                   | M.S Heavy Duty Chassis (Tubular)                                                                                  |
| Starting Mechanism                        | Self Start                                                                                                        |
| Features (Key/ Reverse Switch/ USB Port): | Central Locking With Anti Theft Alarm, Find my scooter function, Reverse Motion Switch, Mobile Charging USB Port. |

## Colour Options



**Manufacturing Facility :**  
Delta Autocorp Limited :  
60,61,62 and 63 GangeshwarPaper Mills,  
Dhundaheda, Saharanpur Road, Baghpat,  
UP - 250101

**Manufacturing Facility :**  
Delta Autocorp Limited:  
Plot No.-304P, Mihijam Road,  
Rupnarayanpur, Pithakiary,  
Hindustan Cables Town,  
PaschimBardhaman,  
West Bengal.-713 386

**Head Office :** Delta Autocorp Limited  
408, 4th Floor, Krishna Apra Business Square,  
Netaji Subhash Place, Pitampura,  
New Delhi- 110034



***COSTA AIR***

***Low Speed***



***Own the wind***





\*At standard driving conditions

# COSTA AIR



|                             |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| Speed                       | 25 kmph (Max Speed By Indian Govt)                                           |
| Estimated Range             | >60 Km                                                                       |
| Seating Capacity            | 2 Passengers                                                                 |
| Climbing Degree             | 7 Degree                                                                     |
| Battery Spec                | 48V ( 28AH/VRLA) 32 Graphene (30AH / Li-ion)                                 |
| Charger Spec                | 48V/3A Micro Charger With Auto Cut                                           |
| Charging Time               | 6 - 8 hours ; 3-4 hours                                                      |
| Range Output                | 250 Watt, BLDC motor (Waterproof)                                            |
| Speedometer                 | Digital                                                                      |
| Suspension (Shock Absorber) | Front -Hydraulic ( telescopic type )<br>Rear -Hydraulic Spring Twin Shocker) |
| Rear Tyre                   | 3.00-10.00 Tubeless                                                          |

|                                          |                                                                                                                   |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Headlight                                | Led Lamp                                                                                                          |
| Tail Light                               | Defogger Lights                                                                                                   |
| Wheel                                    | Dynamically Designed Wheels                                                                                       |
| Ground Clearance                         | 180mm                                                                                                             |
| Dimensions (Lx B x H)                    | 1800x720x1040mm                                                                                                   |
| Registration & License                   | Not Required                                                                                                      |
| Chassis                                  | M.S Heavy Duty Chassis (Tubular)                                                                                  |
| Starting Mechanism                       | Self Start                                                                                                        |
| Features (Key/ Reverse Switch/ USB Port) | Central Locking With Anti Theft Alarm, Find my scooter function, Reverse Motion Switch, Mobile Charging USB Port. |
| Front tyre                               | 3.00-12.00                                                                                                        |

## Colour Options



**Manufacturing Facility :**  
Delta Autocorp Limited :  
60,61,62 and 63 GangeshwarPaper Mills,  
Dhundaheda, Saharanpur Road, Baghpat,  
UP - 250101

**Manufacturing Facility :**  
Delta Autocorp Limited:  
Plot No.-304P, Mihijam Road,  
Rupnarayanpur, Pithakiary,  
Hindustan Cables Town,  
PaschimBardhaman,  
West Bengal.-713 386

**Head Office :** Delta Autocorp Limited  
408, 4th Floor, Krishna Apra Business  
Square, Netaji Subhash Place, Pitampura,  
New Delhi- 110034





**DELTA**  
DELTA AUTOCORP LIMITED

# ZGS

*High Speed*



*The New Age E-Scooter*





|                    |                                                                          |
|--------------------|--------------------------------------------------------------------------|
| Speed              | 45 Kmph                                                                  |
| Estimated Range    | >70 Km*                                                                  |
| Seating Capacity   | 2 Passengers                                                             |
| Climbing Degree    | 10 Degree                                                                |
| Battery Spec       | 70V/20AH                                                                 |
| Charger Spec       | 72V/5A Micro Charger with Auto Cut                                       |
| Charging Time      | 5-6 Hours                                                                |
| Raiting Output     | 2000 Watt, BLDC Motor (Waterproof)                                       |
| Speedometer        | Digital                                                                  |
| Suspension         | Front - Hydraulic (Telescopic Type)<br>Rear Hydraulic Spring (Monoshock) |
| Brake              | Front Disc, Rear Drum                                                    |
| Starting Mechanism | Self Start                                                               |

Colour Option



|                        |                                                                                                                                                       |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tyre                   | 3.50-10.00 Tubeless                                                                                                                                   |
| Features               | Central Locking with Anti theft Alarm, Find my Scooter Function, Mobile Charging USB Port Auto Repair Function, Hazard Lights,3 Speed modes, Backrest |
| Headlight              | LED                                                                                                                                                   |
| Tail Light             | Unique Design with LED Rear Winkers                                                                                                                   |
| Wheel                  | Dynamically Designed Wheels                                                                                                                           |
| Ground Clearance       | 190 mm                                                                                                                                                |
| Dimensions             | 1815X730X1120 mm                                                                                                                                      |
| Registration & License | Required                                                                                                                                              |
| Chassis                | M.S Heavy Duty Chassis (Tubular)                                                                                                                      |
| Kerb Weight            | 64 Kg (without Battery)                                                                                                                               |